

Lina 50 ACU

Stylish suspended standalone direct/indirect Acoustic LED available with various felt colour options .

- Classrooms
- Offices
- Hospitals
- Meeting Rooms
- Atriums



Features


- Extruded aluminium body epoxy powder coated all RAL options available
- Stand alone
- Direct/Indirect
- Acoustic baffles (Option of colours)
- Philips LED and driver system for optimum performance
- Premium white Ra90 LED module available

Options

- Micro-prism optic – **(MP19)**
- Opal PMMA – **(OP)**
- Tuneable white – **(TW)**
- DALI – **(DA)**
- Casambi wireless bluetooth control **(BTC)**
- CRI 90 – **(Ra9)**
- Standard 3hr emergency – **(M3)**
- DALI monitored emergency – **(D3)**

Lina 50 ACU


Dimensions



W = 50mm x L = 1159/1439mm x H = 99mm

Product Code

LIN5-21-4K-WH-M***	LINA 50, 21w, 4K, 2,644lm, 1159mm body c/w acoustic felt baffle
LIN5-29-4K-WH-M***	LINA 50, 29w, 4K, 3,644lm, 1159mm body c/w acoustic felt baffle
LIN5-43-4K-WH-M***	LINA 50, 43w, 4K, 4,953lm, 1159mm body c/w acoustic felt baffle
LIN5-26-4K-WH-M***	LINA 50, 26w, 4K, 3,392lm, 1439mm body, c/w acoustic felt baffle
LIN5-37-4K-WH-M***	LINA 50, 37w, 4K, 4,622lm, 1439mm body, c/w acoustic felt baffle
LIN5-54-4K-WH-M***	LINA 50, 54w, 4K, 6,354lm, 1439mm body, c/w acoustic felt baffle



Lina 50 ACU

Material colour



Natural colour:

